

E6150F Hydraulic Excavator

Powerful performance



Gross Power: 108hp @ 2000rpm

Operating Weight: 13800 ~14800 kg

Member of the Volvo Group

E6150F

Hydraulic Excavator

POWERFUL ENGINE


- Fuel efficient and powerful
- Electronic unit pump
- Turbocharger + intercooler
- ECU controlled



- Well-matched engine and hydraulic systems
- 10 work modes
- Auto-idle function



- 2-stage air filters
- 2-stage fuel filters
- Fuel injector filter
- Water level alarm from oil-water separator
- Auto engine power cut-off upon fault detection
- Limp-home function




- New-generation electronics
- Latest colour display
- Self fault diagnostics



ADVANCED HYDRAULIC SYSTEM

- Efficient hydraulic system with world-class components
- Double pump confluence function




- Regeneration function
- Priority function
- Automatic travel speed selection



ROBUST STRUCTURES

- Reinforced X undercarriage with 35% higher strength



- Reinforced boom & arm
- Robotic welding with flaw detection



- Anti-wear bucket with 20% longer life
Chromed pins



SAFE AND COMFORTABLE CABIN

- Excellent visibility
- Sliding windscreen
- Large wiper area
- 6-way adjustable fabric suspension seat



- Powerful A/C with multiple air outlets in a well-sealed cabin
- Tinted glass
- Silicon oil shock absorbers
- Multi-function colour LED display



EASY MAINTENANCE

- Wide engine hood openings
- Grouped filters, pressure testing port and electrics with ground-level access
- Computer diagnostics interface
- Perforated anti-slip plates



RICH OPTIONS

- Breakers
- Rock / GP / LM buckets
- Multiple track shoe width
- Additional work lights



*The above mentioned illustrations may not refer to specific models.

E6150F

Hydraulic Excavator

POWERFUL YET ENERGY-SAVING



The high-torque, low-RPM DDE engine delivers both power and efficiency in 10 optimised work modes. The electronic unit pump (EUP) design features a high injection pressure and a good tolerance on fuel quality.

SMOOTH OPERATIONS



E6150F uses an advanced hydraulic system with regeneration and priority functions, making the machine reliable and highly efficient.

RELIABLE AND DURABLE



Renowned engine and hydraulic systems. Reinforced boom, arm and undercarriage, chromed pins and upgraded electronics on board provide excellent machine durability and reliability.

MULTI-PURPOSE



Access more applications with breaker piping and various bucket and track shoe options. This machine is ideal for a wide range of general construction tasks.



SAFE AND COMFORTABLE



A variety of protective features improve man-machine safety. A spacious cabin provides a pleasing driving experience with excellent fields of vision, a powerful air conditioning system, a comfortable suspension seat, and noise and vibration reduction technologies.

EASY TO MAINTAIN



Large engine hood openings, centralised filters and electrics with ground-level access reduce maintenance efforts. A computer interface is available for quick diagnostics and review of fault history.



*The illustration may include optional equipment.

Technical Specifications

Standard Equipment

Engine

Model	BF4M2012-11 T3R/4-B796	
Type	Four stroke, Supercharged, intercooled	
Rated Power	hp @ r/min	108 @ 2000
Max. Torque	Nm / r/ min	450 @ 1500
Number of cylinders	4	
Displacement	ml	4038
Bore x Stroke	mm	101 x 126
Emission	Tier III (GB 20891-2014)	

Electrical System

System voltage	V	24
Battery voltage	V	24
Battery capacity	Ah	100
Alternator voltage	V	28
Starter voltage	V	24

Undercarriage

No. of track shoes	46	
No. of top rollers	2 x 1	
No. of bottom rollers	2 x 7	
No. of track guards	2 x 1	

Hydraulic system

Hydraulic system type	Twin pump negative flow control	
Main pumps	2 x variable displacement axial piston pumps	
Max. flow rate	L/min	2 x 118 + 20
Relief valve setting		
Implement Circuit bar	330/350	
Travel Circuit	343	
Swing Circuit	245	
Pilot Circuit	39	

Drive and Brakes

Drive motor	2 axial piston motors	
Max drawbar pull	kN	109.8
Max travel speed {low/high} km/h	3.2 / 5.5	
Service/parking brakes	Wet and disc type	
Gradeability	35	

Swing system

Swing motor	-	1 axial piston motor
Swing brake	-	Wet and disc type
Swing speed	r/min	0-11


Service Refill Capacity

Fuel Tank	L	260
Engine Coolant	L	19.5
Engine Oil	L	16.5
Swing drive device	L	3.9
Travel drive device	L	2 x 2.2
Hydraulic tank	L	100
Hydraulic system	L	190

Attachments (Bucket) Options

GP Bucket	m³	0.75 / 0.8
HD Bucket	m³	0.6

Lifting Capacity



Dimensions

Excavating range

A. Maximum digging reach	mm	7980
B. Maximum digging reach on ground	mm	7830
C. Maximum digging depth	mm	5160
D. Maximum digging depth (horizontal 2.5m)	mm	4920
E. Maximum vertical digging depth	mm	4570
F. Maximum cutting height	mm	8170
G. Maximum dumping height	mm	5720
H. Maximum front swing radius	mm	2600
Max. excavating force of bucket (ISO)	kN	98.1
Max. excavating force of arm (ISO)	kN	67.7

Dimensions

Boom length	mm	4600
Arm length	mm	2100
A. Overall width of upper assembly	mm	2450
B. Overall width	mm	2590
C. Overall height	mm	2770
D. Tail swing radius	mm	2200
E. Overall height of engine hood	mm	2080
F. Ground clearance of upper frame	mm	940
G. Wheel base	mm	3000
H. Track length	mm	3740
I. Track gauge	mm	1990
J. Track shoe width	mm	500 / 600
K. Minimum ground clearance	mm	436
L. Overall length	mm	7700
M. Overall height of boom	mm	2830
Bucket capacity (GP)	m ³	0.75 / 0.8
Operating weight	kg	13800 ~ 14800



OPTIONAL EQUIPMENT

Electrical/Electronic control system

Fuel filler pump	0
Extra halogen work lights (Cab-mounted 1/ Counter weight-mounted 1)	0
Rotating warning beacon	0
Rear-view camera	0
Burglar alarm	0

Undercarriage

700 / 800 mm shoe track	0
-------------------------	---



Attachments

Large Bucket	0
Rock Bucket	0
X1 pipes	0
X3 pipes	0
Side or top mounted breakers	0
Hydraulic crusher	0
Log grapple	0
Light front FOG (falling object guard)	0
Heavy front / top FOG	0

Our Dealer Network

Choosing SDLG means access to a strong dealer network—with 19+ dealerships and 300+ outlets across India—that ensures timely service, original parts, and expert technical support. Backed by 130+ service vehicles and over 800 dedicated service engineers, our nationwide service presence guarantees that your machine operates at peak performance with minimal downtime.

North

TIME EQUIPMENT PRIVATE LIMITED

Plot No. 5G and 5H,
Additional Industrial Area,
Main Mathura Road, Faridabad,
Haryana – 121 001
Coverage: Delhi-NCR, Haryana,
Uttarakhand, Uttar Pradesh
(including NCL Singrauli)
Dealer Partners: Mr. Sachin Chilana,
Mr. Vishal Parmami
Phone: +91 98738 38862, +91
98732 52266
Email:
sachin.chilana@timeequipment.co.in
vishal.parmami@timeequipment.co.in

BSIES INDIA PRIVATE LIMITED

N.H. 8, Ahmedabad Main Road,
Goverdhan Vilas, Udaipur - 313 001.
Rajasthan
Coverage: Southern Rajasthan
Dealer Partner: Mr. Kedar Singh Rathore
Ph #: +919829041246, +919928338553
Email: ksrathore@bsiesindia.com,
dhrurvraj@bsiesindia.com

ESDEE SOLUTECH

322, Officers Campus Extension,
Vaishali Nagar, 200 Feet Bypass, Jaipur
- 302012. Rajasthan
Coverage: Northern Rajasthan
Dealer Partner: Mr. O P Dawar
Ph #: +919636076000
Email: op.dawar@esdeesolutech.net

PAL INFRASTRUCTURE SOLUTIONS

B S Tower, 1st Floor, AKS Colony,
Patiala Road, Zirakpur, Distt Mohali.
Punjab-140603. Chandigarh
Sewa Complex, National Highway,
Gangyal, Jammu – 180010. Jammu,
Kashmir (J&K)
Coverage: STATES of Jammu, Kashmir,
Himachal Pradesh, Punjab and
Chandigarh
Dealer Partner: Mr. Nishant Luthra
Ph #: +919811042580, +917087036541
Email: nishantluthra@luthragroup.net,
sales.palinfra@luthragroup.net

East

INFRA EQUIP PVT. LTD.

Saharjori, GT Road (NH-2), P.O.
Bhitiya, PS Barwadda,
Dhanbad- 828 109
Jharkhand
Dealer Partner- Mr. Dinesh Pandey,
Mr. Naren Pandey
Ph: +91- 70701 92500
Email: sales.support@infraequip.com

POLLUTECH ENGINEERING

S, 3/18, Sector, A Zone B, Mancheswar
Industrial Estate, Bhubaneswar-751010.
Odisha
Coverage: STATE of Odisha
Dealer Partner: Mr. Dilip Kumar Tripathy
Ph. # +919583072667; +917735065864
Email: dilip@pollutech.in

SUCHITA EARTHMOVING SOLUTIONS

No. 158, Golden Heights, 6th floor,
Reliance Trends Building,
Near Central Mall,
G.S Road, Christianbasti, Guwahati –
781005. Assam
Coverage: STATES of Assam, Tripura,
Meghalaya, Nagaland, Mizoram, Arunachal
Pradesh, and Manipur
Dealer Partner: Ms. Amita Bhuwalka
Ph # +919954089208
Email: amitabhhuwalka@suchitagroup.com

SUCHITA MILLENNIUM PROJECTS PVT. LTD. (WB)

#9, Murli Dhar Sen Lane, Kolkata - 700073.
West Bengal.
Coverage: States of West Bengal and Sikkim
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919903960633, +91 33 2219
7951, 7952, 3183, +919801370734,
+917596068773
Email: raghupatibhuwalka@suchitagroup.com

SUCHITA MILLENNIUM PROJECTS PVT. LTD. (BH)

Khata -179, KHSERA -285, OPP. S L Mishra
Petrol Pump, Baahri Dhabalpur, Chainpura
Post Office, Begampur, PS - Bye PASS
Thanapatna City, Patna. Bihar - 800 009.
Coverage: States of Bihar
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919801370734 +917596068773
Email: raghupatibhuwalka@suchitagroup.com,
santoshsingh@suchitagroup.com

West

DRS EARTHWORK PVT. LTD.

No.2, 1st Floor, Vignaharta Complex, Plot No. 7, Sector -
1, Khanda Colony, Panvel (W),
Navi Mumbai, Maharashtra - 410206
Coverage: Northern Maharashtra
Dealer Partner: Mr. Divish Sabhlok
Ph # +919899793431, +919625202621
Email: divish.sabhlok@drsgroupindia.com,
divishsabhlok14@gmail.com,
vishal.poria@drsgroupindia.com

NAVIN INFRA SOLUTIONS PVT. LTD.

Plot No. 444, Scheme No. 78, Part - 1, Phase II, Indore -
452010. Madhya Pradesh
Coverage: State of Madhya Pradesh
Dealer Partner: Mr. Navin Bhandari,
Ms. Seema Bhandari, Mr. Nilesh Bhandari
Ph # +919300077300, +919302555002,
+919302477346, +919300077308
Email: navinbhandari@navininfra.com,
salesco@navininfra.com,
seemabhandari@navininfra.com,
nileshbhandari@navininfra.com

SVP MINING TECHNOLOGIES PRIVATE LIMITED

Ring Road No. 1, Near Sorana Bridge, Village Sarona,
Post Tatibadh, Raipur - 492 001. Chhattisgarh
Coverage: State of Chhattisgarh
Dealer Partner: Mr. Pramod Patwardhan
Ph # +919970322222, +918435005500
Email: pramod@svpgroup.net

TEAM ENGINEERS

Karan Samruddhi Survey No.5, Shogini, Karan
Samruddhi, Nawale Bridge, Ambegaon (B),
Pune – 411 046. Maharashtra
Coverage: Southern Maharashtra and Goa
Dealer Partner: Mr. Ajit Bafna, Mr. Shridhar Bhat,
Mr. Anand Rajore
Ph # +919370145680, +919370145660, +919822033202
Email: ajit@teamengineers.co.in,
srb@teamengineers.co.in,
anand.rajore@teameng.co.in

WEST INDIA EQUIPMENT'S PVT. LTD.

Survey No. :109/129, Opp.Gokuldharm Society,
Near Ford Service Centre, Santhipura-Sanand Highway,
Ulariya, Ahmedabad - 382 210. GUJARAT.
Coverage: STATE of Gujarat, Dadra and Nagar Haveli,
Daman and Diu
Dealer Partner: Mr. Jesal Suresh Vora,
Mr. Aashish Khurana
Ph # +919825609097; +919879535995
Email: jesal.vora@gmail.com,
jesal@westindiaequip.com,
khurana.aashish@gmail.com

SUCHITA EQUIP PRIVATE LIMITED

Flat No.: 262/1, NH-8, Highway Road,
Behind Saat Hanuman Temple,
Rudra Transport Nagar
Rajkot, District: Rajkot
Gujarat – 360 003
Dealer Partner: Mr. Raghupati Bhuwalka
Mr. Samar Bais - CEO
Cell#: +919903960630
Email: samarbais@suchitagroup.com

South

ADVANCED CONSTRUCTION TECHNOLOGIES PVT. LTD.

No.5/55,Kuthambakkam Village, Post Forest
Range Road, Chettipedu, Poonamallee Taluk,
Thiruvallur Dist., Chennai - 602 107. Tamil Nadu
Coverage: State of Tamil Nadu, Pondicherry,
Andaman Nicobar, Lakshadweep Islands
Dealer Partner: Mr. Siddarth Raman
Ph # +919884757350
Email: siddarth.raman@actind.com

ENCORE HEAVY MACHINERY PRIVATE LIMITED

#259, 1st Cross, 4th Phase Peenya Industrial
Area, Bangalore - 560 058. Karnataka
Coverage: State of Karnataka
Dealer Partner: Mr. H Vinayak Nayak
Ph # +91 80 29734009; +91799903813
Email: vinayak@encorece.in

PACT MACHINES PRIVATE LIMITED

Door No. VII / 267 A, Malikampeedika, Alangad
P.O., Ernakulam District, Aluva – 683 511.
COCHIN, Kerala
Coverage: STATE of Kerala
Dealer Partner: Mr. Siddarth Raman
Ph # +919995922350
Email: siddarth.raman@pactmachines.com

RAMANAND POWER SYSTEMS PVT. LTD.

Door No: 8-2-269/3-82, Plot No. 82, Road No. 3,
Sagar Society, Banjara Hills, Hyderabad - 500
034. Telangana
Coverage: State of Telangana
Dealer Partner: Mr. Rama Rao,
Mr. Anand Anumolu, Mr. Nagarajuna Mandava
Ph # +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in,
nagarajuna@ramanand.co.in

RAMANAND POWER SYSTEMS PVT. LTD.

Door No 40-3-181, First Floor, B-Block,
Rajeswari Nilayam, KS Ramarao Street,
Moghalraipuram, Vijayawada, Andhra Pradesh
- 520010
Coverage: State of Andhra Pradesh
Dealer Partner: Mr. Rama Rao, Mr. Anand
Anumolu, Mr. Nagarajuna Mandava
Ph #: +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in, nagarajuna@ramanand.co.in

www.sdlgindia.com | Toll-free: 1800-108-6586