



Your Growth Machine

E680Hi Hydraulic Excavator

Makes great business sense.



Gross Power: 58 hp

Operating Weight: 7700 kg

Member of the Volvo Group

Technical Specifications

Standard Equipment

Engine		
Make & Model		Yanmar 4TNV98 - ZCVLGC
Type		In-line, water cooled, four stroke
Power	hp @ r/min	58@2100
Max. Torque	Nm / r/min	247/1575
Number of cylinders		4
Displacement	ml	3319
Bore x Stroke	mm	98 x 110
Electric System		
System voltage	V	12
Battery voltage	V	12
Battery capacity	Ah	100
Alternator voltage	V	13.5
Starter voltage	V	12
Under carriage		
No. of track shoes		2 x 39
No. of top rollers		2 x 1
No. of bottom rollers		2 x 5
Parameter		
Total mass	kg	7700
Bucket capacity	m³	0.3
Average ground pressure	mm	34.5
Slewing speed	(r/min)	10±0.3
Travelling speed (low / high)	km/h	2.86 / 5.0
Maximum digging force	kN	50
Hydraulic system		
Hydraulic system type	-	Load sensing control system
Working pressure	kgf/cm²	245
Main valve model	-	HVSE18
Hydraulic control type		Pilot-actuated proportional control valve
Maximum flow rate	l/min	160
Main pump		Variable displacement axial piston pump
Motor (rotary / travel) model		MSG-44P - 21/TM10VD-A-26/49.1

Hydraulic cylinder		
Stick cylinder - bore x stroke	mm	1 - 95 x 865
Dozer blade cylinder - bore x stroke mm		1 - 120 x180
Boom cylinder - bore x stroke	mm	1 - 110 x 850
Bucket cylinder - bore x stroke	mm	1 - 85 x 710
Refill capacities		
Fuel filling capacity	l	150
Hydraulic oil filling capacity	l	115
Engine oil filling capacity	l	12
Oil filling capacity of walking reducer	l	2 x 1.1
Filling capacity of water radiator anti-freeze coolant		13.5
Rotary system		
Slewing type		Hydraulic internal-tooth single-row ball bearing
Type of slewing brake		Wet disc (hydraulic oil release°C spring compression)
Model of slewing bearing		QNA800*25AZ1
Walking system		
No. of supporting wheel (one side)		5
Track shoe width (three-teeth)	mm	450
Number of carrier roller (one side)		1
Type of travel brake		Wet disc (hydraulic oil release, spring compression)
Swing system		
Swing motor		- Axial piston motor
Swing brake		- Wet disc
Swing speed	r/min	0-10
Drive and Brakes		
Drive motor		2 axial piston motors
Max drawbar pull	kN	65
Max travel speed {low/high}		2.86/5.0
Service / parking brakes		Wet disc, spring applied, hydraulic release
Gradeability		35

Equipment and Features

Standard Equipment

Engine	
Yanmar engine	S
Turbocharger	-
Two-stage air filters	S
Three-stage fuel filters	S
Oil-water separator	S
Pre-heater	S
Electrical/Electronic control system	
Engine safe start with restart prevention	S
Idling switch	S
Auto-idle function	S
9work modes	S
Central fuse box	S
Halogen (Frame-mounted work lights 2 & Boom-mounted 1 LH) Battery, 12V	S
Master electrical disconnect switch Start motor, 12V	S
Colour monitor	S
Lock lever	S
Hydraulic system	
Load-sensing hydraulic system	S
Boom/arm/swing priority	S
Boom/arm regeneration	S
Boom/arm holding	S
Two speed travel motors	S
Cylinder/motor cushioning	S
Dust sealing	S
Hydraulic oil (ISO VG46)	S
Muilti-stage filtration	S
Frames	
Reinforced revelling frame	S
Dozer blade	S
Rear-view mirror	S
Undercarriage	
Durable "X" under-carriage	S
Greased and sealed track links	S
Reinforced carrier/top rollers	S
Steel track with triple grousers	S

Cab and interior	
Fabric operator seat with suspension	S
Seat belt	S
Joysticks	S
Radio with MP3/AUX	S
Master key	S
Hour meter	S
Sun visor	S
Dual arm rests	S
Air conditioner	S
Sliding wind screen	S
OPTIONAL EQUIPMENT	
Electrical/Electronic control system	
Fuel filler pump	0
Extra (Cab-mounted halogen 1/ work lights Boom-mounted 1 RH)	0
Rotating warning beacon	0
Rear-view camera	0
Hydraulic system	
High-temperature/Low-temperature hydraulic oil module	0
Undercarriage	
600mm steel track	0
Rubber Pads	0
Without dozer blade	0
Attachment	
Ditching buckets	0
X1 pipes	0
X3 pipes	0
Side or top mounted breakers	0
Log grapples	0
Front (falling object upper/front guard) lower/top	0

Optional Attachments



Breakers



Log grapple



Ditching buckets




LM buckets

Dimensions



Excavating range

A. Maximum digging radius	mm	6340
B. Maximum digging radius of -reference ground	mm	6190
C. Maximum digging depth	mm	4160
D. Maximum digging depth under length of bottom surface of 2.5 m	mm	3800
E. Maximum vertical digging depth	mm	3760
F. Maximum digging height	mm	7200
G. Maximum discharge height	mm	5065
H. Minimum front turning radius	mm	1760
Shovel width (with band edge)	mm	910



Dimensions

A. Overall width of upper assembly	mm	2240
B. Overall width	mm	2340
Overall width of chassis	mm	2240
C. Overall height to cab top	mm	2580
D. Rear swing radius	mm	1895
E. Overall height to hood top	mm	1765
F. Ground clearance of upper assembly	mm	777
G. Wheel base	mm	2200
H. Overall length of crawler	mm	2825
I. Wheel track of crawler	mm	1780
J. Track shoe width	mm	450
K. Minimum ground clearance	mm	375
L. Overall length	mm	6230
M. Overall height of boom	mm	2585
Arm length	mm	1650
Contour dimension of complete machine	mm	6230 x 2240 x 2585
Boom length	mm	3710



Connect with us on: [f](#) [y](#) [in](#)
 Whatsapp: [+91 99453 69456](#)
 Toll Free: 1800-108-6856
www.sdlgindia.com



Member of the Volvo Group

Our Dealer Network

Choosing SDLG means access to a strong dealer network—with 19+ dealerships and 300+ outlets across India—that ensures timely service, original parts, and expert technical support. Backed by 130+ service vehicles and over 800 dedicated service engineers, our nationwide service presence guarantees that your machine operates at peak performance with minimal downtime.

North

TIME EQUIPMENT PRIVATE LIMITED

Plot No. 5G and 5H,
Additional Industrial Area,
Main Mathura Road, Faridabad,
Haryana – 121 001
Coverage: Delhi-NCR, Haryana,
Uttarakhand, Uttar Pradesh
(including NCL Singrauli)
Dealer Partners: Mr. Sachin Chilana,
Mr. Vishal Parmami
Phone: +91 98738 38862, +91
98732 52266
Email:
sachin.chilana@timeequipment.co.in
vishal.parmami@timeequipment.co.in

BSIES INDIA PRIVATE LIMITED

N.H. 8, Ahmedabad Main Road,
Goverdhan Vilas, Udaipur - 313 001.
Rajasthan
Coverage: Southern Rajasthan
Dealer Partner: Mr. Kedar Singh Rathore
Ph #: +919829041246, +919928338553
Email: ksrathore@bsiesindia.com,
dhrurvraj@bsiesindia.com

ESDEE SOLUTECH

322, Officers Campus Extension,
Vaishali Nagar, 200 Feet Bypass, Jaipur
- 302012. Rajasthan
Coverage: Northern Rajasthan
Dealer Partner: Mr. O P Dawar
Ph #: +919636076000
Email: op.dawar@esdeesolutesh.net

PAL INFRASTRUCTURE SOLUTIONS

B S Tower, 1st Floor, AKS Colony,
Patiala Road, Zirakpur, Distt Mohali.
Punjab-140603. Chandigarh
Sewa Complex, National Highway,
Gangyal, Jammu – 180010. Jammu,
Kashmir (J&K)
Coverage: STATES of Jammu, Kashmir,
Himachal Pradesh, Punjab and
Chandigarh
Dealer Partner: Mr. Nishant Luthra
Ph #: +919811042580, +917087036541
Email: nishantluthra@luthragroup.net,
sales.palinfra@luthragroup.net

East

INFRA EQUIP PVT. LTD.

Saharjori, GT Road (NH-2), P.O.
Bhitiya, PS Barwadda,
Dhanbad- 828 109
Jharkhand
Dealer Partner- Mr. Dinesh Pandey,
Mr. Naren Pandey
Ph: +91- 70701 92500
Email: sales.support@infraequip.com

POLLUTECH ENGINEERING

S, 3/18, Sector, A Zone B, Mancheswar
Industrial Estate, Bhubaneswar-751010.
Odisha
Coverage: STATE of Odisha
Dealer Partner: Mr. Dilip Kumar Tripathy
Ph. # +919583072667; +917735065864
Email: dilip@pollutech.in

SUCHITA EARTHMOVING SOLUTIONS

No. 158, Golden Heights, 6th floor,
Reliance Trends Building,
Near Central Mall,
G.S Road, Christianbasti, Guwahati –
781005. Assam
Coverage: STATES of Assam, Tripura,
Meghalaya, Nagaland, Mizoram, Arunachal
Pradesh, and Manipur
Dealer Partner: Ms. Amita Bhuwalka
Ph # +919954089208
Email: amitabhhuwalka@suchitagroup.com

SUCHITA MILLENNIUM PROJECTS PVT. LTD. (WB)

#9, Murli Dhar Sen Lane, Kolkata - 700073.
West Bengal.
Coverage: States of West Bengal and Sikkim
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919903960633, +91 33 2219
7951, 7952, 3183, +919801370734,
+917596068773
Email: raghupatibhuwalka@suchitagroup.com

SUCHITA MILLENNIUM PROJECTS PVT. LTD. (BH)

Khata -179, KHSERA -285, OPP. S L Mishra
Petrol Pump, Baahri Dhabalpur, Chainpura
Post Office, Begampur, PS - Bye PASS
Thanapatna City, Patna. Bihar - 800 009.
Coverage: States of Bihar
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919801370734 +917596068773
Email: raghupatibhuwalka@suchitagroup.com,
santoshsingh@suchitagroup.com

West

DRS EARTHWORK PVT. LTD.

No.2, 1st Floor, Vignaharta Complex, Plot No. 7, Sector -
1, Khanda Colony, Panvel (W),
Navi Mumbai, Maharashtra - 410206
Coverage: Northern Maharashtra
Dealer Partner: Mr. Divish Sabhlok
Ph # +919899793431, +919625202621
Email: divish.sabhlok@drsgroupindia.com,
divishsabhlok14@gmail.com,
vishal.poria@drsgroupindia.com

NAVIN INFRA SOLUTIONS PVT. LTD.

Plot No. 444, Scheme No. 78, Part - 1, Phase II, Indore -
452010. Madhya Pradesh
Coverage: State of Madhya Pradesh
Dealer Partner: Mr. Navin Bhandari,
Ms. Seema Bhandari, Mr. Nilesh Bhandari
Ph # +919300077300, +919302555002,
+919302477346, +919300077308
Email: navinbhandari@navininfra.com,
salesco@navininfra.com,
seemabhandari@navininfra.com,
nileshbhandari@navininfra.com

SVP MINING TECHNOLOGIES PRIVATE LIMITED

Ring Road No. 1, Near Sorana Bridge, Village Sarona,
Post Tatibadh, Raipur - 492 001. Chhattisgarh
Coverage: State of Chhattisgarh
Dealer Partner: Mr. Pramod Patwardhan
Ph # +919970322222, +918435005500
Email: pramod@svpgroup.net

TEAM ENGINEERS

Karan Samruddhi Survey No.5, Shogini, Karan
Samruddhi, Nawale Bridge, Ambegaon (B),
Pune – 411 046. Maharashtra
Coverage: Southern Maharashtra and Goa
Dealer Partner: Mr. Ajit Bafna, Mr. Shridhar Bhat,
Mr. Anand Rajore
Ph # +919370145680, +919370145660, +919822033202
Email: ajit@teamengineers.co.in,
srb@teamengineers.co.in,
anand.rajore@teameng.co.in

WEST INDIA EQUIPMENT'S PVT. LTD.

Survey No. :109/129, Opp.Gokuldharm Society,
Near Ford Service Centre, Santhipura-Sanand Highway,
Ulariya, Ahmedabad - 382 210. GUJARAT.
Coverage: STATE of Gujarat, Dadra and Nagar Haveli,
Daman and Diu
Dealer Partner: Mr. Jesal Suresh Vora,
Mr. Aashish Khurana
Ph # +919825609097; +919879535995
Email: jesal.vora@gmail.com,
jesal@westindiaequip.com,
khurana.aashish@gmail.com

SUCHITA EQUIP PRIVATE LIMITED

Flat No.: 262/1, NH-8, Highway Road,
Behind Saat Hanuman Temple,
Rudra Transport Nagar
Rajkot, District: Rajkot
Gujarat – 360 003
Dealer Partner: Mr. Raghupati Bhuwalka
Mr. Samar Bais - CEO
Cell#: +919903960630
Email: samarbais@suchitagroup.com

South

ADVANCED CONSTRUCTION TECHNOLOGIES PVT. LTD.

No.5/55,Kuthambakkam Village, Post Forest
Range Road, Chettipadu, Poonamallee Taluk,
Thiruvallur Dist., Chennai - 602 107. Tamil Nadu
Coverage: State of Tamil Nadu, Pondicherry,
Andaman Nicobar, Lakshadweep Islands
Dealer Partner: Mr. Siddarth Raman
Ph # +919884757350
Email: siddarth.raman@actind.com

ENCORE HEAVY MACHINERY PRIVATE LIMITED

#259, 1st Cross, 4th Phase Peenya Industrial
Area, Bangalore - 560 058. Karnataka
Coverage: State of Karnataka
Dealer Partner: Mr. H Vinayak Nayak
Ph # +91 80 29734009; +91799903813
Email: vinayak@encorece.in

PACT MACHINES PRIVATE LIMITED

Door No. VII / 267 A, Malikampeedika, Alangad
P.O., Ernakulam District, Aluva – 683 511.
COCHIN, Kerala
Coverage: STATE of Kerala
Dealer Partner: Mr. Siddarth Raman
Ph # +919995922350
Email: siddarth.raman@pactmachines.com

RAMANAND POWER SYSTEMS PVT. LTD.

(TS)
Door No: 8-2-269/3-82, Plot No. 82, Road No. 3,
Sagar Society, Banjara Hills, Hyderabad - 500
034. Telangana
Coverage: State of Telangana
Dealer Partner: Mr. Rama Rao,
Mr. Anand Anumolu, Mr. Nagarajuna Mandava
Ph # +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in,
nagarajuna@ramanand.co.in

RAMANAND POWER SYSTEMS PVT. LTD.

(AP)
Door No 40-3-181, First Floor, B-Block,
Rajeswari Nilayam, KS Ramarao Street,
Moghalraipuram, Vijayawada, Andhra Pradesh
- 520010
Coverage: State of Andhra Pradesh
Dealer Partner: Mr. Rama Rao, Mr. Anand
Anumolu, Mr. Nagarajuna Mandava
Ph #: +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in, nagarajuna@ramanand.co.in

www.sdlgindia.com | Toll-free: 1800-108-6586