

L935Hi Wheel Loader


Smart, Efficient &
Built to Last

Rated Engine Power : 133 hp

Payload : 3600 kg

Operating Weight : 11400 kg

Bucket Size : 2.2 (1.8~3.2) CuM



Built in India

Member of Volvo Group

The **L935Hi wheel loader** is built for efficiency, durability, and operator comfort. With powerful performance and a sleek new design, it delivers reliability for every job.

HIGH EFFICIENCY



3.6-ton rated load with strong traction and breakout force for fast & smooth operation.

PROVEN RELIABILITY



HD drive axles with higher carrying capacity for heavy-duty performance.

OPERATOR COMFORT



Spacious ROPS / FOPS-II certified cabin with wide visibility, low noise, and fastcooling air conditioning with ergonomically designed controls for a better work environment.

REFINED DESIGN




New H-series look with premium craftsmanship. Designed to handle tough tasks with ease

HEAVY-DUTY STRUCTURE



Heavy-Duty Structure Frame for extended durability

ADVANCED TELEMATICS



State-of-the-art telematics for real-time machine insights



ENGINE

- 133 HP, 620 Nm Torque, Fuel-Efficient CEV V Engine
- 3 Power Mode Selection for optimized fuel consumption
- Electronic Priming Pump for quick & automated air removal



TRANSMISSION

- Fixed Shaft Power Shift HD Transmission with 4F & 2R gears
- Well-synchronized drive Axle ensures smooth operation
- Efficient power distribution for enhanced traction



HYDRAULIC SYSTEM

- Load Sensing Hydraulic Steering System for precise maneuverability
- Single Joystick for improved efficiency & ease of use
- High-performance hydraulic cylinders for heavy-load handling

SAFETY FEATURES



Reverse Camera for better visibility



Extra Working lights, reverse horn, and rotating beacon for better visibility



Handrails on engine hood for safe access to maintenance areas



Seat belt, 3-point climbing access, and anti-slip perforated plates

L935Hi

Wheel Loader



ENGINE

- Fuel Efficient CEV-V Certified CRDI Engine
- 3 Power Selection Modes
- Higher Power & Torque

TRANSMISSION

- Heavy Duty fixed shaft Transmission
- Powershift with 4F & 2R Gear

CONVENIENCE & SAFETY

- Easy & Ground level access of all lubricating points
- Reverse Camera
- 3 Point contacts & anti slip perforated plates
- Extra working lamps
- Rotating Beacon

HYDRAULIC

- Single Joystick Pilot Control
- Proven & reliable hydraulic components
- Load sensing steering

CABIN

- Spacious ROPS / FOPS Certified A/c Cabin
- Cabin Fan
- Windshield Wipers
- Ergonomically designed controls
- Adjustable suspension Seats with Hand rest

OTHERS

- Multiple optional Bigger bucket
- SDLG Telematics with App

STRUCTURE

- Heavy Duty Frames & structure
- Optimized & Reinforced boom & Z bar Linkage

AXLES

- SDLG HD Dry Axles
- Reinforced drive shafts
- Reliable Air over hydraulic disc brake



*The illustration may include optional equipment.

L935Hi - Technical Specifications

Standard Equipment



Engine

Engine model	WP4. 6NG135 E672
Engine type	In-line, water-cooled, four-stroke, direct injection
Rated Engine Power (hp)	133 @ 2250 rpm
Maximum torque (N.m)	620 @ 1400 rpm
Displacement (ml)	4580
Number of cylinders	4
Bore / stroke (mm)	108 / 125
Emission standard	CEV - V

Transmission System

Make	SDLG
Type	Fixed shaft power shift
No. of gears	F4 and R2
Torque converter	Single-stage three-element torque converter
Machine speed F1/F2/F3/F4 (km/h)	0~8 / 14 / 27 / 41
Machine speed R1/R2/R3/R4 (km/h)	0~10 / 32

Axles

Make	SDLG make
Front & Rear	AL20 series Heavy Duty axles with the 20T carrying capacity
Rear Axle Oscillation (°)	±11

Hydraulic system

Type	Single joystick pilot hydraulic control
Pilot system working pressure (MPa)	3.5
Main Pump Type	Gear Pump
Maximum flow (LPM)	210
System working pressure (MPa)	17.5

Hydraulic cycle time

Bucket lift time (full load)	≤ 5.5 s
Bucket fall time (no load)	≤ 3.5 s
Bucket dumping time (no load)	≤ 1.0 s
Total cycle time	≤ 10.0 s

Steering System

Type	Load-sensing full hydraulic articulated steering
Working pressure (MPa)	14
Steering angle (°)	36
Steering pump flow (lpm)	191

Brake system

Service brake	Air over Hydraulic Disc Brakes
Parking brake	Mechanically operated disc brake
Brake pressure (MPa)	0.784

Tyre

Tyre size	17.5 x 25 L3
Front Tyre pressure (MPa)	0.31 ~ 0.33
Rear tyre pressure (MPa)	0.27 ~ 0.29

Cabin

Type	ROPS/FOPS Level 2 Certified
AC	Standard with dual filters
Operator seat	Mechanical suspension Seat
Seat belt	Standard
Rotating beacon light	Standard

Performance

Payload capacity (kg)	3600
Bucket volume, Heaped ISO/SAE Cu.m (GP)	2.2
Operating weight (kg)	11400
Maximum breakout force (kN)	≥96
Maximum traction force (kN)	≥100
Static Tipping Load Straight (kg)	8500
Static Tipping Load Full Turn (kg)	7300

Electrical system

Voltage	24V
Batteries	2

Dimensions with 2.2 M3 GP Bucket


A. Overall length (mm)	7280
B. Wheelbase (mm)	2850
C. Overall height (mm)	3340
D. Minimum ground clearance (mm)	375
E. Maximum dumping height (mm)	2930
F. Axis pin at maximum lift height (mm)	3790
G. Corresponding dump reach (mm)	1140
H. Gradeability (°)	30
J. Dumping angle (°)	-45
K. Bucket roll back at ground level (°)	45
L. Overall width (mm)	2520
M. Outside width of wheel (mm)	2310
N. Wheel tread(mm)	1865
O. Min. turning radius outside rear wheel (mm)	5375
P. Horizontal crossing radius outside bucket (mm)	6200

System Refill Capacity (L)

System Refill Capacity (L)	Volume	Change Interval
Diesel filling capacity of fuel tank	160	Every 2000
Hydraulic Oil tank filling capacity	136	
Transmission oil filling capacity	45	First 50 / Every 1000
Oil filling capacity of braking system	4	
Oil filling capacity of axles		First 50 / Every 1000
main drive and wheel reducer)	18 + 18	
Engine oil filling capacity	12	
Antifreeze coolant	30	

Optional Attachments

HD Bucket (m3)	1.5 / 1.8
LM Bucket (m3)	2.5 / 3.0 / 3.2
Pallet fork	Available
Pre-cleaner	Oil bath pre-cleaner



Our Dealer Network

Choosing SDLG means access to a strong dealer network—with 19+ dealerships and 300+ outlets across India—that ensures timely service, original parts, and expert technical support. Backed by 130+ service vehicles and over 800 dedicated service engineers, our nationwide service presence guarantees that your machine operates at peak performance with minimal downtime.

North

TIME EQUIPMENT PRIVATE LIMITED
Plot No. 5G and 5H,
Additional Industrial Area,
Main Mathura Road, Faridabad,
Haryana – 121 001
Coverage: Delhi-NCR, Haryana,
Uttarakhand, Uttar Pradesh
(including NCL Singrauli)
Dealer Partners: Mr. Sachin Chilana,
Mr. Vishal Parnami
Phone: +91 98738 38862, +91
98732 52266
Email:
sachin.chilana@timeequipment.co.in
vishal.parnami@timeequipment.co.in

BSES INDIA PRIVATE LIMITED
N.H. 8, Ahmedabad Main Road,
Goverdhan Vilas, Udaipur - 313 001.
Rajasthan
Coverage: Southern Rajasthan
Dealer Partner: Mr. Kedar Singh Rathore
Ph #: +919829041246, +919928338553
Email: ksrathore@bsesindia.com,
dhrurvraj@bsesindia.com

ESDEE SOLUTECH
322, Officers Campus Extension,
Vaishali Nagar, 200 Feet Bypass, Jaipur
- 302012. Rajasthan
Coverage: Northern Rajasthan
Dealer Partner: Mr. O P Dawar
Ph #: +919636076000
Email: op.dawar@esdeesolutech.net

PAL INFRASTRUCTURE SOLUTIONS
B S Tower, 1st Floor, AKS Colony,
Patiala Road, Zirakpur, Distt Mohali.
Punjab-140603. Chandigarh
Sewa Complex, National Highway,
Gangyal, Jammu – 180010. Jammu,
Kashmir (J&K)
Coverage: STATES of Jammu, Kashmir,
Himachal Pradesh, Punjab and
Chandigarh
Dealer Partner: Mr. Nishant Luthra
Ph #: +919811042580, +917087036541
Email: nishantluthra@luthragroup.net,
sales.palinfra@luthragroup.net

East

INFRA EQUIP PVT. LTD.
Saharjori, GT Road (NH-2), P.O.
Bhitiya, PS Barwadda,
Dhanbad- 828 109
Jharkhand
Dealer Partner- Mr. Dinesh Pandey,
Mr. Naren Pandey
Ph: +91- 70701 92500
Email: sales.support@infraequip.com

POLLUTECH ENGINEERING
S, 3/18, Sector, A Zone B, Mancheswar
Industrial Estate, Bhubaneswar-751010.
Odisha
Coverage: STATE of Odisha
Dealer Partner: Mr. Dilip Kumar Tripathy
Ph. # +919583072667; +917735065864
Email: dilip@pollutech.in

SUCHITA EARTHMOVING SOLUTIONS
No. 158, Golden Heights, 6th floor,
Reliance Trends Building,
Near Central Mall,
G.S Road, Christianbasti, Guwahati –
781005. Assam
Coverage: STATES of Assam, Tripura,
Meghalaya, Nagaland, Mizoram, Arunachal
Pradesh, and Manipur
Dealer Partner: Ms. Amita Bhuwalka
Ph # +919954089208
Email: amitabhwalka@suchitagroup.com

**SUCHITA MILLENNIUM PROJECTS
PVT. LTD. (WB)**
#9, Murli Dhar Sen Lane, Kolkata - 700073.
West Bengal.
Coverage: States of West Bengal and Sikkim
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919903960633, +91 33 2219
7951, 7952, 3183, +919801370734,
+917596068773
Email: raghupatibhuwalka@suchitagroup.com

**SUCHITA MILLENNIUM PROJECTS
PVT. LTD. (BH)**
Khata -179, KHSERA -285, OPP. S L Mishra
Petrol Pump, Baahri Dhabalpur, Chainpura
Post Office, Begampur, PS - Bye PASS
Thanapatna City, Patna. Bihar - 800 009.
Coverage: States of Bihar
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919801370734 +917596068773
Email: raghupatibhuwalka@suchitagroup.com,
santoshsingh@suchitagroup.com

West

DRS EARTHWORK PVT. LTD.
No.2, 1st Floor, Vignaharta Complex, Plot No. 7, Sector -
1, Khanda Colony, Panvel (W),
Navi Mumbai, Maharashtra - 410206
Coverage: Northern Maharashtra
Dealer Partner: Mr. Divish Sabhlok
Ph # +919899793431, +919625202621
Email: divish.sabhlok@drsgroupindia.com,
divishsabhlok14@gmail.com,
vishal.poria@drsgroupindia.com

NAVIN INFRA SOLUTIONS PVT. LTD.
Plot No. 444, Scheme No. 78, Part - 1, Phase II, Indore -
452010. Madhya Pradesh
Coverage: State of Madhya Pradesh
Dealer Partner: Mr. Navin Bhandari,
Ms. Seema Bhandari, Mr. Nilesh Bhandari
Ph # +919300077300, +919302555002,
+919302477346, +919300077308
Email: navinbhandari@navininfra.com,
salesco@navininfra.com,
seemabhandari@navininfra.com,
nileshbhandari@navininfra.com

SVS MINING TECHNOLOGIES PRIVATE LIMITED
Ring Road No. 1, Near Sorana Bridge, Village Sarona,
Post Talitbadh, Raipur - 492 001. Chhattisgarh
Coverage: State of Chhattisgarh
Dealer Partner: Mr. Pramod Patwardhan
Ph # +919970322222, +918435005500
Email: pramod@svsgrp.net

TEAM ENGINEERS
Karan Samruddhi Survey No.5, Shogini, Karan
Samruddhi, Nawale Bridge, Ambegaon (B),
Pune – 411 046. Maharashtra
Coverage: Southern Maharashtra and Goa
Dealer Partner: Mr. Ajit Bafna, Mr. Shridhar Bhat,
Mr. Anand Rajore
Ph # +919370145680, +919370145660, +919822033202
Email: ajit@teamengineers.co.in,
srb@teamengineers.co.in,
anand.rajore@teameng.co.in

WEST INDIA EQUIPMENT'S PVT. LTD.
Survey No. :109/129, Opp.Gokuldharm Society,
Near Ford Service Centre, Santhipura-Sanand Highway,
Ulariya, Ahmedabad - 382 210. GUJARAT.
Coverage: STATE of Gujarat, Dadra and Nagar Haveli,
Daman and Diu
Dealer Partner: Mr. Jesal Suresh Vora,
Mr. Aashish Khurana
Ph # +919825609097; +919879535995
Email: jesal.vora@gmail.com,
jesal@westindiaequip.com,
khurana.aashish@gmail.com

SUCHITA EQUIP PRIVATE LIMITED
Flat No.: 262/1, NH-8, Highway Road,
Behind Saat Hanuman Temple,
Rudra Transport Nagar
Rajkot, District: Rajkot
Gujarat – 360 003
Dealer Partner: Mr. Raghupati Bhuwalka
Mr. Samar Bais - CEO
Cell#: +919903960630
Email: samarbais@suchitagroup.com

South

**ADVANCED CONSTRUCTION
TECHNOLOGIES PVT. LTD.**
No.5/55,Kuthambakkam Village, Post Forest
Range Road, Chettipedu, Poonamallee Taluk,
Thiruvallur Dist., Chennai - 602 107. Tamil Nadu
Coverage: State of Tamil Nadu, Pondicherry,
Andaman Nicobar, Lakshadweep Islands
Dealer Partner: Mr. Siddarth Raman
Ph # +919884757350
Email: siddarth.raman@actind.com

**ENCORE HEAVY MACHINERY PRIVATE
LIMITED**
#259, 1st Cross, 4th Phase Peenya Industrial
Area, Bangalore - 560 058. Karnataka
Coverage: State of Karnataka
Dealer Partner: Mr. H Vinayak Nayak
Ph # +91 80 29734009; +917899903813
Email: vinayak@encorece.in

PACT MACHINES PRIVATE LIMITED
Door No. VII / 267 A, Malikampeedika, Alangad
P.O., Ernakulam District, Aluva – 683 511.
COCHIN. Kerala
Coverage: STATE of Kerala
Dealer Partner: Mr. Siddarth Raman
Ph # +919995922350
Email: siddarth.raman@pactmachines.com

**RAMANAND POWER SYSTEMS PVT. LTD.
- (TS)**
Door No: 8-2-269/3-82, Plot No. 82, Road No. 3,
Sagar Society, Banjara Hills, Hyderabad - 500
034. Telangana
Coverage: State of Telangana
Dealer Partner: Mr. Rama Rao,
Mr. Anand Anumolu, Mr. Nagarjuna Mandava
Ph # +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in,
nagarjuna@ramanand.co.in

**RAMANAND POWER SYSTEMS PVT. LTD.
- (AP)**
Door No 40-3-181, First Floor, B-Block,
Rajeswari Nilayam, KS Ramarao Street,
Moghalraipuram, Vijayawada, Andhra Pradesh
- 520010
Coverage: State of Andhra Pradesh
Dealer Partner: Mr. Rama Rao, Mr. Anand
Anumolu, Mr. Nagarjuna Mandava
Ph #: +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in, nagarjuna@ramanand.co.in

www.sdlgindia.com | Toll-free: 1800-108-6586