

L975H Wheel Loader

Power House



Gross Power: 267HP

Operating Weight: 25600KG

Payload: 7500KG

L975H Wheel Loader

High Efficiency

- High efficiency electronic engine.
- The energy-saving low-speed engine fits well with high efficiency and realizes a comprehensive energy saving of more than 10%
- High reliability, good adaptability, low maintenance cost



Convenience

- Automotive-grade mold-formed steel hood with high structural strength and elegant appearance
- The double gas spring opens the hood and is easy to operate
- Large opening side door maintenance is more convenient.



High Reliability

- Volvo HT200 fixed-shaft, electro-hydraulic shift transmission of four forward gears and four reverse gears features high transmission efficiency
- It has the function of power cut-off and neutral gear lock-up, enabling stable and impact-free gearshift and high reliability.
- The KD gearshift function configured reduces the operating efforts and enhances the flexibility and efficiency



Heavy - Duty

- Heavy duty drive axle and ascillatinf rear drive axle jointly developed by Volvo and SDLG. Meet the driving force and escapability of bad conditions.
- The unique rear axle double swing arm connection makes the load distribuion of the whole machine reasonable, large bearing capacity, long service life and high reliability



High Quality

- Hydraulic system components use internationally renowned suppliers, large flow, high pressure and smooth composite action
- Automatically adjust pump discharge according to the load, to reduce the overflow of the energy consumption by10%
- Light weight operation, high efficiency and reliable performance



Greater Carrying Capacity

- Lift arm uses the lightweight technology, the effective load of each work cycle increased 2% to achieve energy saving
- Lower resistance bucket, leading board of trapezoidal structure, makes working resistance small can shovel with hard material, increases 10% in load capacity improves the working efficiency, reduces the use cost and saves energy.




Comfortable

- FOPS & ROPS Cab, the super-large, full view, low noise, douvle curved arc front windshield. Luxury seat and user-friendly design, to build the best operating environment. Inner space increased by 15%; width of view increased by20%, sealing property increased by 35%, with powerful air-conditioning.



Greater Reliability

- Fully new generation of boxed frame design by Volvo and SDLG teams.
- The load distribution is reasonable. Fatigue test for 200 k hours, for greater reliability.



Adaptability

- Equipped with oil-bath filter to meet the abominable environment



Safety


- Full Hydraulic brake system, more sensitive steady and reliable.



Standard Configurations

WP10G270E341 ENGINE
Three power selection mode
HTE 220 Automatic transmission
SDLG Heavy duty axle
Finger tip lever
4.5m³ GP Bucket with teeth
Spacious ROPS / FOPS Certified AC Cabin
Fresh air condtioning
Adjustable steering column
Digital combination instrument
Air control parking brake
Music System with AUX, USB & Bluetooth Connectivity
Sun visor
Clothes hook
Cup holder
Centralized control box
Front & rear wiper
LED Working lights

Reverse alarm
26.5 x 25-28PR-L3
ACLS (Automatic Centralised Lubrication System)
Engine fan guard
Neutral start
Air pre-filter
Power switch
Tool Box
Oil bath air filter
Full hydraulic steering
Variable flow steering system
Hydraulic drive cooling
Box type frame
Reverse camera
Large space cab
Full hydraulic service brake



L975H

Wheel Loader

ENGINE

- Fuel Efficient CRDI Engine
- 3 Working Modes
- Higher Power & Torque

TRANSMISSION

- HTE 220 Heavy duty Transmission
- Automatic Powershift with 4F & 4R Gear

STYLING

- Latest H series outlook Look
- New styling for instrument cluster display
- Extra working lamps
- Rotating Beacon

STRUCTURE

- Box Type Frame
- Long Boom
- Long wheelbase



HYDRAULIC

- Double ball handle Pilot Joystick
- Proven world class components
- Load sensing steering

CAB

- ROPS / FOPS Certified A/c Cabin
- Ergonomic design
- Adjustable suspension Seats
- Adjustable steering column

OTHERS

- Multiple optional Bigger bucket
- SDLG Telematics with App

AXLES

- SDLG HD Axles
- Dry Axle
- Full hydraulic brake



*The illustration may include optional equipment.

Technical Specifications

Standard Equipment

Engine	
Engine model	WP10G270E341
Engine type	In-line, water-cooled, CRDI,
Gross Power hp	267 @ 2200 rpm
Maximum torque Nm	1300 @ 1400 rpm
Displacement (ml)	9726
Number of cylinders	6
Bore / stroke (mm)	126/130
Emission standard	Tier - 3

Transmission System	
Model & Type	HTE 220 automatic transmission
No. of gears	F4 and R4
Torque converter	Single-stage three-element single turbine torque converter
Machine speed F1,F2, F3 & F4 (km/h)	0~7.4/13.7/27.3/40
Machine speed R1, R2, R3 & R4 (km/h)	0~7.4/13.7/27.3/40

Axles	
Front	Heavy Duty AL45 series with 45T carrying capacity
Rear	Heavy Duty AL42 Series with 42T carrying capacity
Rear Axle Oscillation (Deg)	±11°

Hydraulic system	
Type of working device	Double ball handle hydraulic pilot control
Maximum flow (lpm)	434
System working pressure (MPa)	25.5

Hydraulic cycle time	
Bucket lift time (full load) s	≤5.5
Bucket fall time (no load) s	≤4.3
Bucket dumping time (no load) s	≤1.1
Total cycle time s	≤10.9

Steering System	
Type	Load-sensing full hydraulic steering
Pump	Variable axle piston pump
Working pressure of steering system (MPa)	21
Steering angle (°)	38°
Steering pump flow (lpm)	198

Brake system	
Service brake	Full Hydraulic Dry Disc Brake
Parking brake	Pressure releasing caliper disc brake
Brake pressure (MPa)	13.8

Tyres	
Tyre size	26.5 x 25 L3
Front Tyre pressure (MPa)	0.475±0.01
Rear tyre pressure (MPa)	0.40±0.01

Cabin	
Cabin	Standard ROPS /FOPS certified
AC	Standard with dual filters & automatic climate control
Operator seat	Mechanical suspension Seat
Music System	MP3 Player with USB, Aux and Bluetooth connection
Seat belt	Standard
Rotating Beacon Light	Standard

Performance	
Payload capacity (kg)	7500
Bucket volume, Heaped ISO/SAE (GP) m³	4.5
Operating weight (kg)	25600
Maximum breakout force (kN)	≥216
Maximum traction force (kN)	≥226
Static Tipping Load Straight (kg)	16900
Static Tipping Load Full Turn (kg)	15200

Electrical system

Voltage	24V
Batteries	2

Dimension with 4.5 m³ GP Bucket



A. Overall length (mm)	9635
B. Wheelbase (mm)	3550
C. Overall height (mm)	3620
D. Minimum ground clearance (mm)	506
E. Maximum dumping height (mm)	3650
F. Axis pin at maximum lift height (mm)	4780
G. Corresponding dump reach (mm)	1310
H. Gradeability	30°
L. Overall width (mm)	3620
M. Outside width of wheel (mm)	3115
N. Wheel tread	2350
O. Min. turning radius outside of tire (mm)	6375
P. Horizontal crossing radius of bucket (mm)	7695

Special standard features

LED head lights & working lights	Adjustable Steering column
Head light protection	Back up alarm
Oil Bath air cleaner	Rotating Beacon
Reverse Camera	Front and rear wiper
Blind spot mirrors	Sun visor
Automatic Lubrication system (CLS)	GPS

Optional Attachments

HD Rock Bucket m³	3.2 / 3.5
LM Bucket m³	6.5 / 7.0
Pallet fork	Available
High lift log attachment	Available



Our Dealer Network

Choosing SDLG means access to a strong dealer network—with 19+ dealerships and 300+ outlets across India—that ensures timely service, original parts, and expert technical support. Backed by 130+ service vehicles and over 800 dedicated service engineers, our nationwide service presence guarantees that your machine operates at peak performance with minimal downtime.

North

TIME EQUIPMENT PRIVATE LIMITED

Plot No. 5G and 5H,
Additional Industrial Area,
Main Mathura Road, Faridabad,
Haryana – 121 001
Coverage: Delhi-NCR, Haryana,
Uttarakhand, Uttar Pradesh
(including NCL Singrauli)
Dealer Partners: Mr. Sachin Chilana,
Mr. Vishal Parmami
Phone: +91 98738 38862, +91
98732 52266
Email:
sachin.chilana@timeequipment.co.in
vishal.parmami@timeequipment.co.in

BSIES INDIA PRIVATE LIMITED

N.H. 8, Ahmedabad Main Road,
Goverdhan Vilas, Udaipur - 313 001.
Rajasthan
Coverage: Southern Rajasthan
Dealer Partner: Mr. Kedar Singh Rathore
Ph #: +919829041246, +919928338553
Email: ksrathore@bsiesindia.com,
dhrurvraj@bsiesindia.com

ESDEE SOLUTECH

322, Officers Campus Extension,
Vaishali Nagar, 200 Feet Bypass, Jaipur
- 302012. Rajasthan
Coverage: Northern Rajasthan
Dealer Partner: Mr. O P Dawar
Ph #: +919636076000
Email: op.dawar@esdeesolutech.net

PAL INFRASTRUCTURE SOLUTIONS

B S Tower, 1st Floor, AKS Colony,
Patiala Road, Zirakpur, Distt Mohali.
Punjab-140603. Chandigarh
Sewa Complex, National Highway,
Gangyal, Jammu – 180010. Jammu,
Kashmir (J&K)
Coverage: STATES of Jammu, Kashmir,
Himachal Pradesh, Punjab and
Chandigarh
Dealer Partner: Mr. Nishant Luthra
Ph #: +919811042580, +917087036541
Email: nishantluthra@luthragroup.net,
sales.palinfra@luthragroup.net

East

INFRA EQUIP PVT. LTD.

Saharjori, GT Road (NH-2), P.O.
Bhitiya, PS Barwadda,
Dhanbad- 828 109
Jharkhand
Dealer Partner- Mr. Dinesh Pandey,
Mr. Naren Pandey
Ph: +91- 70701 92500
Email: sales.support@infraequip.com

POLLUTECH ENGINEERING

S, 3/18, Sector, A Zone B, Mancheswar
Industrial Estate, Bhubaneswar-751010.
Odisha
Coverage: STATE of Odisha
Dealer Partner: Mr. Dilip Kumar Tripathy
Ph. # +919583072667; +917735065864
Email: dilip@pollutech.in

SUCHITA EARTHMOVING SOLUTIONS

No. 158, Golden Heights, 6th floor,
Reliance Trends Building,
Near Central Mall,
G.S Road, Christianbasti, Guwahati –
781005. Assam
Coverage: STATES of Assam, Tripura,
Meghalaya, Nagaland, Mizoram, Arunachal
Pradesh, and Manipur
Dealer Partner: Ms. Amita Bhuwalka
Ph # +919954089208
Email: amitabhuhwaka@suchitagroup.com

SUCHITA MILLENNIUM PROJECTS PVT. LTD. (WB)

#9, Murli Dhar Sen Lane, Kolkata - 700073.
West Bengal.
Coverage: States of West Bengal and Sikkim
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919903960633, +91 33 2219
7951, 7952, 3183, +919801370734,
+917596068773
Email: raghupatibhuwalka@suchitagroup.com

SUCHITA MILLENNIUM PROJECTS PVT. LTD. (BH)

Khata -179, KHSERA -285, OPP. S L Mishra
Petrol Pump, Baahri Dhabalpur, Chainpura
Post Office, Begampur, PS - Bye PASS
Thanapatna City, Patna. Bihar - 800 009.
Coverage: States of Bihar
Dealer Partner: Mr. Raghupati Bhuwalka
Ph # +919801370734 +917596068773
Email: raghupatibhuwalka@suchitagroup.com,
santoshsingh@suchitagroup.com

West

DRS EARTHWORK PVT. LTD.

No.2, 1st Floor, Vignaharta Complex, Plot No. 7, Sector -
1, Khanda Colony, Panvel (W),
Navi Mumbai, Maharashtra - 410206
Coverage: Northern Maharashtra
Dealer Partner: Mr. Divish Sabhlok
Ph # +919899793431, +919625202621
Email: divish.sabhlok@drsgroupindia.com,
divishsabhlok14@gmail.com,
vishal.poria@drsgroupindia.com

NAVIN INFRA SOLUTIONS PVT. LTD.

Plot No. 444, Scheme No. 78, Part - 1, Phase II, Indore -
452010. Madhya Pradesh
Coverage: State of Madhya Pradesh
Dealer Partner: Mr. Navin Bhandari,
Ms. Seema Bhandari, Mr. Nilesh Bhandari
Ph # +919300077300, +919302555002,
+919302477346, +919300077308
Email: navinbhandari@navininfra.com,
salesco@navininfra.com,
seemabhandari@navininfra.com,
nileshbhandari@navininfra.com

SVP MINING TECHNOLOGIES PRIVATE LIMITED

Ring Road No. 1, Near Sorana Bridge, Village Sarona,
Post Tatibadh, Raipur - 492 001. Chhattisgarh
Coverage: State of Chhattisgarh
Dealer Partner: Mr. Pramod Patwardhan
Ph # +919970322222, +918435005500
Email: pramod@svpgroup.net

TEAM ENGINEERS

Karan Samruddhi Survey No.5, Shogini, Karan
Samruddhi, Nawale Bridge, Ambegaon (B),
Pune – 411 046. Maharashtra
Coverage: Southern Maharashtra and Goa
Dealer Partner: Mr. Ajit Bafna, Mr. Shridhar Bhat,
Mr. Anand Rajore
Ph # +919370145680, +919370145660, +919822033202
Email: ajit@teamengineers.co.in,
srb@teamengineers.co.in,
anand.rajore@teameng.co.in

WEST INDIA EQUIPMENT'S PVT. LTD.

Survey No. :109/129, Opp.Gokuldharm Society,
Near Ford Service Centre, Santhipura-Sanand Highway,
Ulariya, Ahmedabad - 382 210. GUJARAT.
Coverage: STATE of Gujarat, Dadra and Nagar Haveli,
Daman and Diu
Dealer Partner: Mr. Jesal Suresh Vora,
Mr. Aashish Khurana
Ph # +919825609097; +919879535995
Email: jesal.vora@gmail.com,
jesal@westindiaequip.com,
khurana.aashish@gmail.com

SUCHITA EQUIP PRIVATE LIMITED

Flat No.: 262/1, NH-8, Highway Road,
Behind Saat Hanuman Temple,
Rudra Transport Nagar
Rajkot, District: Rajkot
Gujarat – 360 003
Dealer Partner: Mr. Raghupati Bhuwalka
Mr. Samar Bais - CEO
Cell#: +919903960630
Email: samarbais@suchitagroup.com

South

ADVANCED CONSTRUCTION TECHNOLOGIES PVT. LTD.

No.5/55,Kuthambakkam Village, Post Forest
Range Road, Chettipadu, Poonamallee Taluk,
Thiruvallur Dist., Chennai - 602 107. Tamil Nadu
Coverage: State of Tamil Nadu, Pondicherry,
Andaman Nicobar, Lakshadweep Islands
Dealer Partner: Mr. Siddarth Raman
Ph # +919884757350
Email: siddarth.raman@actind.com

ENCORE HEAVY MACHINERY PRIVATE LIMITED

#259, 1st Cross, 4th Phase Peenya Industrial
Area, Bangalore - 560 058. Karnataka
Coverage: State of Karnataka
Dealer Partner: Mr. H Vinayak Nayak
Ph # +91 80 29734009; +91799903813
Email: vinayak@encorece.in

PACT MACHINES PRIVATE LIMITED

Door No. VII / 267 A, Malikampeedika, Alangad
P.O., Ernakulam District, Aluva – 683 511.
COCHIN, Kerala
Coverage: STATE of Kerala
Dealer Partner: Mr. Siddarth Raman
Ph # +919995922350
Email: siddarth.raman@pactmachines.com

RAMANAND POWER SYSTEMS PVT. LTD.

(TS)
Door No: 8-2-269/3-82, Plot No. 82, Road No. 3,
Sagar Society, Banjara Hills, Hyderabad - 500
034. Telangana
Coverage: State of Telangana
Dealer Partner: Mr. Rama Rao,
Mr. Anand Anumolu, Mr. Nagarajuna Mandava
Ph # +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in,
nagarajuna@ramanand.co.in

RAMANAND POWER SYSTEMS PVT. LTD.

(AP)
Door No 40-3-181, First Floor, B-Block,
Rajeswari Nilayam, KS Ramarao Street,
Moghalraipuram, Vijayawada, Andhra Pradesh
- 520010
Coverage: State of Andhra Pradesh
Dealer Partner: Mr. Rama Rao, Mr. Anand
Anumolu, Mr. Nagarajuna Mandava
Ph #: +919845150173, +919492054224,
+919990975051
Email: sreeram@ramanand.co.in,
anand@ramanand.co.in, nagarajuna@ramanand.co.in

www.sdlgindia.com | Toll-free: 1800-108-6586